

SLIMLINE Gas Fireplace Guide



HEAT & GLO

Designed to bring coziness to compact spaces.

The SlimLine brings a full fireside experience in a shallow footprint.

Sized to Fit Beautifully

Choose the width that works for your space: 28", 32", 36" or 42". With a shallow 16-1/4-inch-deep profile, the SlimLine opens up more possibilities for creative placement, even where space is tight.

Built for Real Comfort

Welcoming flames, glowing embers and hand-painted logs create a warm, inviting focal point. The SlimLine feels as good as it looks, bringing atmosphere and coziness together in one refined experience.

Style It Your Way

Make it your own with a range of trims, finishings, interior options and accessories. Whether your taste leans modern, traditional, or somewhere in between, the SlimLine adapts to your space and style.



SlimLine 7X with Stratford brick, Oak logs and Clean Face front with ClearVue mesh.

SlimLine



SL-7 shown with fade-resistant Reflective Black glass interior panels, Oak logs and Black Halston front.

Features

- Seven models within the collection
- Up to 35,000 BTUs
- IntelliFire® ignition system makes operation simple, smart and safe (via wall switch or remote)
- Direct Vent Technology removes 100% combustion exhaust from your home
- Oak or Birch logs
- Choose from five front designs and three interior panel options*
- Glowing ember bed (LED for X models)
- Battery backup provides warmth during power outages
- Clear Vue mesh front adds safety and clearer view of the fire

*Varies by model

Options

- Power Venting Technology allows for flexible fireplace placement
- Heat Management redirects heat throughout the house or outside



Product Details

Understanding Your Options

With a thoughtful mix of front and interior designs, plus control options and heat outputs, each SlimLine model is made to complement your style and the way you live.

CHOOSE YOUR MODEL

SL MODELS: Beautiful flames, a warm natural glow, and realistic logs — everything you need for a classic fire.

X MODELS: All the beauty of SL, plus more heat, high-definition log details, and LED embers for a bolder look.

SPACE. SIZE. SELECT.

Consider heat output, room dimensions and venting in your space. And then select a 28, 32, 36 or 42-inch wide model.

FEATURES	SL-3X	SL-5	SL-5X	SL-7	SL-7X	SL-9	SL-9X
Fireplace Width	28"	32"	32"	36"	36"	42"	42"
Room Size Fit	Small	Small to medium	Small to medium	Medium to large	Medium to large	Medium to large	Medium to large
BTU/hr Input	11,500–21,000	14,900–21,000	14,500–27,500	17,500–25,000	17,500–30,500	23,500–30,000	18,000–35,000
Stratford Brick Interior Panels	Standard (four-piece)	Optional (three-piece)	Standard (four-piece)	Optional (three-piece)	Standard (four-piece)	Optional (three-piece)	Standard (four-piece)
Tranquil Greige Brick Interior Panels	Standard	Not Available	Standard	Not Available	Standard	Not Available	Standard
Fade-Resistant Black Glass Interior Panels	Standard	Optional	Standard	Optional	Standard	Optional	Standard
Fan Kit	Standard	Optional	Standard	Optional	Standard	Optional	Standard
Touchscreen Remote Control	Standard	Optional	Standard	Optional	Standard	Optional	Standard
IntelliFire® App & Voice Control	Optional IntelliFire Wi-Fi module	Optional IntelliFire Wi-Fi module	Optional IntelliFire Wi-Fi module	Optional IntelliFire Wi-Fi module	Optional IntelliFire Wi-Fi module	Optional IntelliFire Wi-Fi module	Optional IntelliFire Wi-Fi module
Wireless Wall Switch	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Logs	5 high-definition logs	5 standard-definition logs	5 high-definition oak or birch logs	5 standard-definition logs	5 high-definition oak or birch logs	5 standard-definition logs	5 high-definition oak or birch logs
Embers	LED illuminated embers	Glowing embers	LED illuminated embers	Glowing embers	LED illuminated embers	Glowing embers	LED illuminated embers
Glass	Ceramic	Tempered	Ceramic	Tempered	Ceramic	Tempered	Ceramic
Ignition System	IntelliFire Touch*	IntelliFire Touch	IntelliFire Touch	IntelliFire Touch	IntelliFire Touch	IntelliFire Touch	IntelliFire Touch
Flame Turndown	50%	50%	50%	50%	50%	50%	50%
Efficiencies*	69.1%	57.9%	64.0%	59.0%	66.4%	62.1%	69.0%

*EnerGuide (CSA P.4.1-15) EnerGuide is a rating used in Canada to measure annual fireplace efficiency.



SLIMLINE
Oak Logs | Firescreen Front



SLIMLINE X
High-Definition Oak Logs
Clean Face Front with ClearVue Mesh




SLIMLINE X
Birch Logs
Clean Face Front with ClearVue Mesh

Fronts

Add a finishing touch to enhance your gas fireplace. A front frames the fireplace opening and is available in a variety of finishes.




CHATEAU FORGE Available for SL-5/5X, SL-7/7X and SL-9/9X models in handcrafted, Hammered Steel.




HALSTON Available for all models in Black, New Bronze or Gun Metal.



ARCADIA Available for SL-5/5X, SL-7/7X and SL-9/9X models in Black, New Bronze or Gun Metal.




FIRESCREEN Available for all models in Black.




CLEAN FACE WITH CLEAR VUE™ MESH Available for SL-5X, SL-7X and SL-9X in Black


FRONT COLOR OPTIONS



BLACK



NEW BRONZE



GUN METAL

Interior Panels


Interior panels add depth, dimension and personality to your fireplace. This backdrop enhances the flame and transforms the entire look.



STRATFORD BRICK Included standard on X collection models. Optional upgrade for SL models.



TRANQUIL GREIGE BRICK Standard on X collection models.



FADE-RESISTANT REFLECTIVE BLACK GLASS* Included standard on X collection models. Optional upgrade for SL models.

*Shown on front cover and page 6.

Controls

Whether it's the IntelliFire® app that lets you start the fire from your phone (even when you're not home), a sleek touchscreen remote that gives you easy access to flame height and fan speed, or a simple wall switch for quick on-off convenience, there's an option that fits your life.


INTELLIFIRE APP



WIRELESS WALL SWITCH



TOUCHSCREEN REMOTE



Technologies

DIRECT VENT TECHNOLOGY

Direct vent fireplaces are sealed systems that pull fresh air from outside and send 100% of combustion exhaust back outdoors. That means no fumes enter your home. The result is efficient heating, better energy use and cleaner indoor air quality.

INTELLIFIRE TOUCH® IGNITION SYSTEM

IntelliFire Touch is an advanced intermittent pilot ignition (IPI) system that makes starting and controlling your fireplace simple, safe and reliable. Applies to all control types (app, wall switch and touchscreen remote).

POWER VENTING TECHNOLOGY

Not every home is built for a traditional fireplace vent. Power venting uses a quiet, fan-assisted system that allows the venting to run up, down, sideways or around obstacles. This makes it possible to install a gas fireplace in spaces where it normally wouldn't work. Your local, authorized partner can help determine if your home requires this technology.

LED EMBER BED

This adds a realistic glow to your fireplace and enhances the ambiance. It's perfect for creating atmosphere year-round, with minimal energy use.

HEAT MANAGEMENT TECHNOLOGY

Redirect up to 50% of the heat to other areas of your home, while also reducing the wall temperature above the fireplace. Choose between a Heat-Zone kit to redirect the heat where you want it, or redirect up to 40% of the heat outside with a Heat-Out kit.

FADE-RESISTANT BLACK GLASS PANELS

These Black glass interior panels reflect the flames for a richer, more dramatic fire. They're designed to resist fading and discoloration over time, so your fireplace keeps its clean, modern appearance for years to come.

Specifications

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HR INPUT (NG)
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING		
SL-3X	33 [838]	34 [864]	22-3/4 [578]	34 [864]	32-3/8 [822]	32-3/4 [832]	16-1/4 [413]	16-1/4 [413]	24-1/8 X 16 [613 x 406]	11,500–21,000
SL-5/5X	36 [913]	37 [940]	25-3/4 [653]	37 [940]	34-3/8 [873]	34-3/4 [882]	16-5/16 [415]	16-1/4 [413]	27-3/16 X 18-1/16 [691 x 459]	14,900–21,000 (5) 14,500–27,500 (5X)
SL-7/7X	41 [1041]	42 [1067]	30-3/4 [781]	42 [1067]	37-7/8 [962]	38-1/4 [972]	16-5/16 [415]	16-1/4 [413]	32-1/16 X 21-1/2 [814 x 546]	17,500–25,000 (7) 17,500–30,500 (7X)
SL-9/9X	48 [1218]	49 [1245]	37-3/4 [959]	49 [1245]	39-9/16 [1005]	40-1/4 [1022]	16-5/16 [415]	16-1/4 [413]	39-1/16 X 23-9/16 [992 x 599]	23,500–30,000 (9) 18,000–35,000 (9X)

Dimensions above are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. Assumes the use of 1/2-inch drywall. NOTE: Combustible material should not cover the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Actual product appearance, including flame, may differ from product images



Download
Architect Guides



SL-7 shown with firescreen front in Black, custom surround and mantel shelf.

©SpaceCrafting

LIMITED LIFETIME WARRANTY*


The strongest in the industry, Heat & Glo® provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

*For full warranty details, go to www.heatnglo.com.

Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatnglo.com/fireplacesafety

Google, YouTube and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

HNG-1148U-0226



OUR SUSTAINABILITY STORY

Our history of leadership in the hearth industry compels us to now lead the way in developing manufacturing practices that ensure our planet remains as durable, beautiful and long-lasting as our products. Find out how we are leading the industry in sustainable practices by scanning the code at right.



heatnglo.com

HEAT & GLO
No one builds a better fire